

TECHNOLOGIES OF FAEMA PRODUCTS

Coffee Management



FAEMA ADJUSTABLE THERMAL BALANCE SYSTEM

FAEMA's adjustable thermal balance system allows to regulate the water temperature and to adapt each group to different blends of espresso coffee.



FAEMA NEW FILTER HOLDERS

FAEMA's coffe machines feature an innovative micrometric spout, which guarantees the two cups. Every portafilter comes with a screw that enables users producing drinks. They are available in two versions; stainless steel and brass (standard).

Milk Management



MILK PS

Allows a consistent in-the-cup milk dose, customizing milk temperature for each selection and ensuring high quality of the milk cream.



SMART BOILER

This patented innovation makes it possible to manage the accumulation of energy conserved in the boiler to enable a constant maximum steam and water supply even when machine is undergoing intensive use. This eco-friendly technology means that the barista will never be in a situation where there is an insufficient steam flow to make the required drinks.



TELEMETRY

This technology enables data communication and remote monitoring of all the machine's functions and performance via a Wi-Fi connection.

INNOVATION

TECHNOLOGIES OF FAEMA PRODUCTS

User



PGS

For automatic adjustment of the grinding in traditional and super-automatic machines.



RUVECOTECK (FOOD SAFETY)

In order to ensure maximum food safety, Ruveco Teck treatment is the process that drastically reduces the quantity of metal in the drinks delivered.

CONTACTS

Websites:

faema.com gruppocimbali.com

Index

• Traditional Espresso Coffee Machines	. 4
• Grinder-Dosers	24
• Fully Automatic Espresso Coffee Machines	34
• Accessories	50
• Caption	53
• Sales Condition	54



Traditional Espresso Coffee Machines

 E71 Touch Blue 		5
• E71 Touch Black		
• E71E 3/5 Buttons		7
• E71E White & Gold		8
• E71E Alu Wood		9
• President GTi Touch		10
• President GTi 3/5 Bu	ttons	
• President 3/5 Buttor	ns	12
• Custom		13
• Custom		14
• E61 Jubilè White Wo		
• E61 Jubilè		
• E61 Legend		
• Prestige +		
Prestige A		
• Prestige Compact		
Prestige S		
• E98 UP A		
• E98UPS		



Faema E71 Touch is born to guarantee the most of the comfort for all those baristas who are looking for high level of automatism, efficiency and ergonomy.

The new machine of the E71 range has a new touch screen interface that makes the brewing process more immediate and intuitive, always with great performances.

Attention to details and the richness of the materials make it the tailored machine for all those who seek perfection and constant quality in every cup.



New Touch Screen interface



New stainless steel filterholders



GTi Thermal System



Smart Boiler



Features Steam wands

Green Machine



USB port



Bluetooth



Wi - Fi Connectivity (kit)



AutoSteam Cold Touch (optional)



Blacklit panel (optional)



Faema E71 Touch in Blue PEARL



Hot water wands and sele	ctions	1+3	1+3
Boiler capacity (litres)		7	7
Independent coffee boilers	s	2	3
Capacity of each independ	lent coffee boiler (cc)	600	600
Technical information			
Width x Depth x Height (m	ım)	794 x 619 x 484	1034 x 619 x 484
Weight (Kg)		71	90
Supply power	220-240V3~ 50/60Hz (W) 380-415V3N~	6200 - 7400	7500 - 8800
Optional			
AutoSteam Cold Touch Mil	lk4	✓	✓
Blacklit panel		✓	✓
Tall Cup		✓	✓
Kit			
Kit Wi-Fi		✓	✓





Kit computer interface EVO Kit Scales Connection











Faema E71 Touch is born to guarantee the most of the comfort for all those baristas who are looking for high level of automatism, efficiency and ergonomy.

The new machine of the E71 range has a new touch screen interface that makes the brewing process more immediate and intuitive, always with great performances.

Attention to details and the richness of the materials make it the tailored machine for all those who seek perfection and constant quality in every cup.



New Touch Screen interface

New stainless steel filterholders




USB Port



Bluetooth



Wi-Fi Connectivity (kit)





AutoSteam Cold Touch (optional)



Smart Boiler



Green Machine



Faema E71 Touch in Matt Black



A/2	A/3
2	2
1+3	1+3
7	7
2	3
600	600
	2 1+3 7 2

Technical information			
Width x Depth x Height	(mm)	794 x 619 x 484	1034 x 619 x 484
Weight (Kg)		71	90
Supply power	220-240V3~ 50/60Hz (W) 380-415V3N~	6200 - 7400	7500 - 8800

Optional		
AutoSteam Cold Touch Milk4	✓	✓

Kit		
Kit Wi-Fi	✓	✓
Kit computer interface EVO	✓	✓
Kit Scales Connection	✓	✓











E71E

3/5 Buttons Black

The brand new FAEMA E71E, with new steam wands, new interface and adjustable pressure setting nad in this version customized with wood finishing, is designed for those who do not accept compromises on the coffee that they want to offer their customers and for those who do not renounce manual skills and want to interact simply and immediately with the machine.



GTi Thermal System



Smart Boiler



New interface with OLed display



New steam wands



Adjustable pressure setting



New stainless steel filter holder



Green Machine



USB Port



Bluetooth



Wi-Fi Connectivity (optional)





E71E new standard back panel



E71E Black with Wood panel



E71E backlit panel

Features	A/2	A/3
Steam wands	2	2
Hot water wands and selections	1+3	1+3
Boiler capacity (litres)	7	7
Independent coffee boilers	2	3
Capacity of each independent coffee boiler (cc)	600	600

Technical information

Width x Depth x Height ((mm)	794 x 619 x 484	1034 x 619 x 484
Weight (Kg)		71	90
	220-240V~		
Supply power	220-240V3~ 50/60Hz (W)	6200 - 7400	7500 - 8800
	380-415V3N		

Optional

- Prioriting		
Backlit panel	✓	✓
Black Wood	✓	✓

Kit

110		
Kit Wi-Fi	✓	✓
Kit computer interface EVO	✓	✓
Kit Scales Connection 2gr	✓	-
Kit Scales Connection 3gr		✓

















E71E

WHITE&GOLD

The brand new FAEMA E71E, with new steam wands, new interface and adjustable pressure setting nad in this version customized with wood finisching, is designed for those who do not accept compmises on the coffee that they want to offer their customers and for those who do not renounce manual skills and want to interact simply and immediately with the machine.





GTi Thermal System



Smart Boiler



New interface with OLed display



New steam wands



Adjustable pressure setting



New stainless steel filter holder



Green Machine



USB Port



Bluetooth



Wi-Fi Connectivity (optional)



Features	A/2	A/3
Steam wands	2	2
Hot water wands and selections	1+3	1+3
Boiler capacity (litres)	7	7
Independent coffee boilers	2	3
Capacity of each independent coffee boiler (cc)	600	600

Technical information

Width x Depth x Height	(mm)	794 x 619 x 484	1034 x 619 x 484
Weight (Kg)		71	90
	220-240V~		
Supply power	220-240V3~ 50/60Hz (W)	6200 - 7400	7500 - 8800
	380-415V3N		

Kit.

NIC .		
Kit Wi-Fi	✓	✓
Kit computer interface EVO	✓	✓
Kit Scales Connection 2gr	✓	-
Kit Scales Connection 3gr		✓

















E71E

WHITE WOOD ALLUMINIUM

The brand new FAEMA E71E, with new steam wands, new interface and adjustable pressure setting nad in this version customized with wood finisching, is designed for those who do not accept compmises on the coffee that they want to offer their customers and for those who do not renounce manual skills and want to interact simply and immediately with the machine.





GTi Thermal System



Smart Boiler



New interface with OLed display



New steam wands



Adjustable pressure setting



New stainless steel filter holder



Green Machine



USB Port



Bluetooth



Wi-Fi Connectivity (optional)



Features	A/2	A/3
Steam wands	2	2
Hot water wands and selections	1+3	1+3
Boiler capacity (litres)	7	7
Independent coffee boilers	2	3
Capacity of each independent coffee boiler (cc)	600	600

Width x Depth x Height	(mm)	794 x 619 x 484	1034 x 619 x 484
Weight (Kg)		71	90
	220-240V~		
Supply power	220-240V3~ 50/60Hz (W)	6200 - 7400	7500 - 8800
	380-415V3N		

.,	٠.
ĸ	IT

NIL .		
Kit Wi-Fi	✓	✓
Kit computer interface EVO	✓	✓
Kit Scales Connection 2gr	✓	✓

















PRESIDENT

GTi Touch

A/2		
A/3		
A/4		

A design with a timeless style: the best coordination between the various stainsteel and pewter finishing and soft touch for an unique character. The Indipendent Boiler system in order to offer the best of Faema Coffee system.

New endless customization possibilities: the machine has been designed to be easily disassembled by the distributor to respond easily to every type of customization of the machine. Wide offer of panels kit: urban style, elegant, funny and retro, with different graphics for a perfect coordination with the style of the coffee shop.



GTi Thermal System



Smart Boiler



New interface



New stainless steel portafilters



Green Machine



AutoSteam Milk 4



USB Port







Wooden portafilters, carters and steam levers available as standard on - President GTi 4 groups Touch

Features	A/2	A/3	A/4
Steam wands	2	2	2
Hot water wands	1	1	1
Hot water selections	3	3	3
Boiler capacity (litres)	7	7	7
Independent coffee boilers	2	3	4
Capacity of each independent coffee boiler (cc)	600	600	600

Technical information

Width x Depth x Height	; (mm)	820 x 630 x 505	1040 x 630 x 505	1260 x 630 x 505
Weight (Kg)		77	90	113
Power at 220-240v~ 50	0/60Hz (W)	4300 – 5100	-	-
Power at	220-240V~ 220-240V3~ 50/60Hz (W) 380-415V3N~	6200 - 7400	7500 - 8800	7500 - 8800

Optional

AutoSteam Cold Touch Milk 4	✓	✓	✓
Led bar	✓	✓	✓

Kit

Kit Wi-Fi	✓	✓	✓
Kit computer interface EVO	✓	✓	✓
Kit Scales Connection	✓	✓	-
Kit Tall Cup version	✓	✓	-















PRESIDENT

GTi 3/5 Buttons



A design with a timeless style: the best coordination between the various stainsteel and pewter finishing and soft touch for an unique character. The Indipendent Boiler system in order to offer the best of Faema Coffee system.

New endless customization possibilities: the machine has been designed to be easily disassembled by the distributor to respond easily to every type of customization of the machine. Wide offer of panels kit: urban style, elegant, funny and retro, with different graphics for a perfect coordination with the style of the coffee shop.



GTi Thermal System



Smart Boiler



New interface



New stainless steel sof touch filterholders



Green Machine



AutoSteam Milk 4



USB Port





Wooden portafilters, carters and steam levers available as standard on

- President GTi 2 groups 3 Buttons
- President GTi 3 groups 3 Buttons
- President GTi 4 groups 3/5 Buttons

Features	A/2	A/3	A/4
Steam wands	2	2	2
Hot water wands	1	1	1
Hot water selections	3	3	3
Boiler capacity (litres)	7	7	7
Independent coffee boilers	2	3	4
Capacity of each independent coffee boiler (cc)	600	600	600

Technical information

Width x Depth x Height (mm)		820 x 630 x 505	1040 x 630 x 505	1260 x 630 x 505
Weight (Kg)		77	90	113
Power at 220-240v~ 50/60Hz (W)		4300 – 5100	-	-
Power at	220-240V~ 220-240V3~ 50/60Hz (W) 380-415V3N~	6200 - 7400	7500 - 8800	7500 - 8800

Optional

AutoSteam Cold Touch Milk 4	✓	✓	✓
Led bar	✓	✓	✓

Kit

Kit Wi-Fi	✓	✓	✓
Kit computer interface EVO	✓	✓	✓
Kit Scales Connection	✓	✓	-
Kit Tall Cup version	✓	✓	-

















PRESIDENT

3/5 Buttons



A design with a timeless style: the best coordination between the various stainless steel and black matt finishing for an unique character. The Thermo Balance System with the new External Adjustable Themperature by group.





Adjustable Temperature with Knobs



Smart Boiler



New interface



New stainless steel portafilters



PGS



AutoSteam Milk 4 (optional)



Features	A/2	A/3	A/4
Steam wands	2	2	2
Hot water wands	1	1	1
Hot water selections	3	3	3
Boiler capacity (litres)	11	17,5	24
Electric cup warmer (3 temperature settings)	-	-	-

Width x Depth x Height (mm)		820 x 630 x 505	1040 x 630 x 505	1260 x 630 x 505
Weight (Kg)		77	90	113
Power at 220-240v~ 50/60Hz (W)		4300 – 5100	-	-
Power at	220-240V~ 220-240V3~ 50/60Hz (W) 380-415V3N~	6200 - 7400	7500 - 8800	7500 - 8800

Optional
AutoSteam Cold Touch Milk 4

Kit			
Kit Wi-Fi	✓	✓	✓
Kit computer interface EVO	✓	✓	✓
Kit Tall Cup version	1		_

















CUSTOMIZATION

Kit & Accessories

Panels — E71E E71 Touch		A/2	A/3
TSLEEP IS A SYMPTOM OF CAFFEINE DEFRIVATION OF FARMA	Back panel GOLD	✓	✓
SLEEP IS A SYMPTOM OF EASIEINE DEPRIVATION OF FARMA	Back panel COPPER	✓	√
FAEMA E71	Back panel VIVAIO	✓	✓
FAEMA EZI	Back panel FOLIAGE BLUE	1	✓
A A A A A A A A A A A A A A A A A A A	Back panel FOLIAGE GREEN	✓	✓
Back panel COSTUMIZED with Client Graphic		ON DEMAND	ON DEMAND

Panels — President GTi		A/2	A/3
	President Gti WEAVE 02	✓	✓
	President Gti WEAVE 01	1	✓
	President Gti GRID 02	1	✓
	President Gti FOLIAGE BLACK	1	✓
	President Gti GRID 03	1	✓
	President Gti MESH 01	√	✓
	President Gti MESH 02	√	✓
Back panel COSTUMIZED with Client Graphic		ON DEMAND	ON DEMAND

















CUSTOMIZATION

Kit & Accessories

Group Kit

E71E Pr	esident Buttons	A/2 A/3	
op	Group Kit Black (x1)	✓	✓
OF	Group Kit Gold (x1)	✓	✓
OF.	Group Kit Chrome (x1)	✓	✓
OP	Group Kit Copper (x1)	✓	✓



Carter Lever

E71E E7	1 Touch	A/2	A/3
	Carter Lever Black (x2)	✓	✓
	Carter Lever Gold (x2)	✓	✓
38	Carter Lever Chrome (x2)	✓	✓
	Carter Lever Copper (x2)	4	✓



Finishing — President | President GTi





2 Lateral & Back Basement Gold Satin



2 Lateral & Back Basement Penny Satin



2 Lateral & Back Basement Quarzo Satin

A/4	A/3	A/2	
✓	√	✓	
ON DEMAND	✓	✓	
ON DEMAND	✓	✓	

















E61 JUBILÈ

White Wood

- Originally launched in 1961, this evergreen continues to strengthen FAEMA's myth.
- · Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee and hot water dosage.
- · Adjustable thermal balancing system.
- Stainless steel body.





Features	A/1	A/2
Steam wands	2	2
Hot water selections	1	1
Boiler capacity (litres)	6	11
Technical information		
Technical information Width x Depth x Height (mm)	555 x 540 x 565	715 x 540 x 565
	555 x 540 x 565 51	715 x 540 x 565 60

_	_	
•	•	4
•	ı	u

Movable Steam Wand	✓	✓
Kit Custom Back E61 1gr TUCANO	✓	-

















E61 JUBILÈ

- Originally launched in 1961, this evergreen continues to strengthen FAEMA's myth.
- Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee and hot water dosage.
- Adjustable thermal balancing system.
- Stainless steel body.





Features	A/1	A/2
Steam wands	2	2
Hot water selections	1	1
Boiler capacity (litres)	6	11
Technical information		
Width x Depth x Height (mm)	555 x 540 x 565	715 x 540 x 565

Width x Depth x Height (mm)	555 x 540 x 565	715 x 540 x 565
Weight (Kg)	51	60
Power at 380-415V3N~ 50/60Hz (W)	3300 - 3900	4000 - 4800

Kit Custom Back E61 1gr TUCANO	C

Kit



Movable Steam Wand













E61 LEGEND

S/1 S/2 S/3

- Originally launched in 1961, this evergreen continues to strengthen FAEMA's myth.
- Semi-automatic espresso coffee machine.
- Adjustable thermal balancing system.
- Stainless steel body.





Features	S/1	S/2	S/3
Steam wands	1	1	2
Boiler capacity (litres)	6	11	17,5
Technical information			
Technical information Width x Depth x Height (mm)	555 x 540 x 565	715 x 540 x 565	955 x 540 x 565
	555 x 540 x 565 51	715 x 540 x 565 60	955 x 540 x 565 80

	u

Movable Steam Wand	✓	✓	✓
Kit Custom Back E61 1gr TUCANO	✓		-













PRESTIGE+

The icon of the 70s is updated.

The new design combined with the possibility of customizing the side panels with valuable and trendy finishes such as denim, copper and brass ensures perfect coordination with the style of each coffee shop.

The new ambient light on the frontal and removable on request during installation to put on the back make it the real protagonist of the coffee shop. In addition you can order the kit of the second light. The new finish Blue Indigo matt is the trendy color of the coming years identified by a perspective design studio.



Adjustable Thermic with knob



Group Lights





AutoSteam (optional)



Tall Cup (optional)



eco

Cupwarmer

Green Machine



Front Led Bar



New adjustable filter holder



New Led Interface













Features		A/2	A/3
Steam wands		2	2
Hot water wands		1	1
Hot water selections		2	2
Boiler capacity (litres	5)	11	17,5
Technical information	n		
Width x Depth x Heigl	ht (mm)	812 x 538 x 560	1012 x 538 x 560
Weight (Kg)		64	80
Power at 220-240v~	50/60Hz (W)	3000 - 3500	-
Power at	220-240V~ 220-240V3~ 50/60Hz (W)	4200 - 5000	6000 - 7000
	380-415V3N~		
Optional			
AutoSteam		✓	✓
Tall Cup		✓	✓
Kit			
17': 147' E'			

Kit Wi-Fi	✓	✓
Kit computer interface EVO	✓	✓
Kit Additional Led Bar	✓	✓
Kit lateral Panel DENIM	✓	✓
Kit lateral Panel COPPER	✓	✓
Kit lateral Panel BRASS	✓	✓
Kit Back Panel DENIM	✓	✓
Kit Back Panel COPPER	✓	✓
Kit Back Panel BRASS	✓	✓

















PRESTIGE A

The '70s icon is available with a new design. Trendy finishing and sides with a distinctive design, enriched with stainlees steel panels. A complete range: 1 group, 2 groups compact, 2 groups, 3 groups. Tall cup version is also available for all models.



Adjustable Thermic



New adjustable filter holder



New Led Interface



Cupwarmer (optional)



Group lights (optional)



Led Bar (optional)



AutoSteam (optional)



Tall Cup (optional)



Hot water economizer (optional)













Features	A/2	A/3
Steam wands	2	2
Hot water wands	1	1
Hot water selections	2	2
Boiler capacity (litres)	11	17,5

Technical information

Width x Depth x Height (mm)		812 x 539 x 560	1012 x 539 x 560
Weight (Kg)		64	80
Power at 220-240v~ 50/60Hz (W)		-	-
Power at	220-240V~ 220-240V3~ 50/60Hz (W) 380-415V3N~	4200 - 5000	5900 - 7000

Optional

Group lights + Hot Water Economizer + Cupwarmer	✓	✓
Group lights + Hot Water Economizer + Autosteam	✓	✓
Group lights + Led bar + Hot Water Economizer + Cupwarmer	✓	✓
Tall cup + Group lights + Hot Water Economizer	✓	✓
Tall cup + Group lights + Hot Water Economizer + Autosteam	✓	✓

Kit

Kit Additional Led Bar	✓	✓
Kit lateral Panel DENIM	✓	✓
Kit lateral Panel COPPER	✓	✓
Kit lateral Panel BRASS	✓	✓
Kit Back Panel DENIM	✓	✓
Kit Back Panel COPPER	✓	✓
Kit Back Panel BRASS	✓	✓

















PRESTIGE

Compact

A/2 COMPACT

The '70s icon is available with a new design. Trendy finishing and sides with a distinctive design, enriched with stainlees steel panels. Tall cup version is also available for all models.



New adjustable brass filter holder



Led Bar (optional)



Group lights (optional)



AutoSteam (optional)



Tall Cup (optional)

New Led Interface









Features	A/1	A/2 Compact
Steam wands	2	2
Hot water wands	1	1
Hot water selections	2	2
Boiler capacity (litres)	5	7

Technical information

Width x Depth x Height (mm)		468 x 538x 560	612x 538x 560
Weight (Kg)		48	57
Power at 220-240v		2800 - 3300	2800 - 3300
Power at	220-240V3~ 50/60Hz (W) 380-415V3N~	-	-

Optional

Group lights + Led bar	✓	✓
Hot Water Economizer + Group lights	✓	✓
Group lights + Led bar + Hot Water Economizer + Autosteam	✓	✓
Tall cup	✓	-
Tall cup + Group lights + Led bar	✓	✓
Tall cup + Group lights + Hot Water Economizer	✓	✓
Tall cup + Group loghts + Hot Water Economizer + AutoSteam	✓	✓
Tall cup + Group loghts + Hot Water Economizer + AutoSteam + Led bar	✓	✓

Kit

Kit Additional Led Bar	✓	✓
Kit lateral Panel DENIM	✓	✓
Kit lateral Panel COPPER	✓	✓
Kit lateral Panel BRASS	✓	✓
Kit Back Panel DENIM	✓	✓
Kit Back Panel COPPER	✓	✓
Kit Back Panel BRASS	✓	✓

















PRESTIGE S

S/2 S/3

The '70s icon is available with a new design. Trendy finishing and sides with a distinctive design, enriched with stainlees steel panels.



Adjustable Thermic.



New adjustable filter holder



New Led Interface



Cupwarmer





Features		S/2	S/3
Steam wands		2	2
Hot water wands		1	1
Hot water selections		2	2
Boiler capacity (litres))	11	17,5
Hot Water Economize	er	✓	✓
Technical information	n		
Width x Depth x Heigh	ht (mm)	812 x 539 x 560	1012 x 539 x 560
Weight (Kg)		64	80
Power at 220-240v~ 5	50/60Hz (W)	-	-
	220-240V~		
Power at	220-240V3~ 50/60Hz (W)	4200 - 5000	5900 - 7000
	380-415V3N~		
Kit			
Kit Additional Led Bar	•	✓	✓
Kit lateral Panel DENIM		✓	✓
Kit lateral Panel COPPER		✓	✓
Kit lateral Panel BRASS		✓	√













E98UPA

- Automatic espresso coffee machine which boasts excellent reliability and an all-new design. The E98UP is an ergonomic and extremely accesibile machine (with elongated staeam wands) which guarantees consistent quality in the cup.
- Available in three colours (black, white, red).



Mixed Water (optional)



Electrical Cup warmer (optional)



Tall Cup (optional)











Features	A/2	A/3
Steam wands	2	2
Hot water wands	1	1
Boiler capacity (litres)	11	17,5
Technical information	000 510 550	
Width x Depth x Height (mm)	820 x 518 x 552	1020 x 518 x 552
Weight (Kg)	63	78
Power at 380-41V3N~ 50/60Hz (W)	4100 - 4800	6900 - 7000
Optional		
Hot Water Economizer with push button*	✓	✓
Cup warmer*	✓	-
Tall Cup	✓	-
Kit		
Kit Groups light	✓	✓

















E98UPS

S/2 S/3

- Automatic espresso coffee machine which boasts excellent reliability and an all-new design. The E98UP is an ergonomic and extremely accesibile machine (with elongated staeam wands) which guarantees consistent quality in the cup.
- Available in three colours (black, white, red).



Tall Cup (optional).











Features	A/2	A/3
Steam wands	2	2
Hot water wands	1	1
Boiler capacity (litres)	11	17,5
Technical information Width x Depth x Height (mm)	820 x 518 x 552	1020 x 518 x 552
Weight (Kg)	63	78
Power at 380-41V3N~ 50/60Hz (W)	4100 - 4800	6900 - 7000
Optional		
Tall Cup	✓	





Kit Groups light (2 and 3 group)














Grinder-dosers

• Groundbreaker / AutoTamper	25
• MC 99	26
MC 99 Wireless	27
MD 3000 On-demand Touch / Bluetooth	28
MD 3000 Automatic / Silver	29
• MEA	30
MF Automatic	31
MF On Demand	30

GROUNDBREAKER

AUTOTAMPER

Instantaneous, electronic grinder: it freshly grounds the set doses directly into the filter holder.



4.3" LCD Touch Screen



New Motor with Inverter



PGS



Flat Burrs with Red Speed Treatment



Innovative Design



USB Port



Bluetooth



Autotamper







Features

reacui es	
Output g/s *	3,5 - 4,1
Hopper capacity (Kg)	1,5 - 1,7
Diameter burrs (mm)	64
Red Speed treatment	-

Technical information

Width x Depth x Height (mm)	215 x 400 x 582
Weight (Kg)	19
Power at 200-240V~ 50Hz (W)	320
Motor service	15s ON 20s OFF

Optional

White colours















MC 99

Basic

- Automatic grinder
- Conic grinding burrs
- Die-cast aluminium body painted
- High level of production per hour



Features

Output g/s *	4,4
Hopper capacity (kg)	1,5
Diameter grinding burrs (mm)	68

Width x Depth x Height (mm)	280 x 430 x 660
Power at 220-240V~ 50Hz (W)	420


















MC 99

Wireless



Touch Screen



PGS



Bluetooth



USB Port



Features

Output g/s*	4,4
Hopper capacity (kg)	1,5
Diameter grinding burrs (mm)	68

Width x Depth x Height (mm)	250 x 451 x 728
Power at 380-415V3~ 50Hz (W)	400
Power at 220-240V~ 50Hz 220V 60Hz (W)	420


















MD 3000

On-demand Touch On-demand Touch Bluetooth

STANDARD GRINDING BURRS

PVD GRINDING BURRS

BLUETOOTH - STANDARD GRINDING BURRS

BLUETOOTH - PVD GRINDING BURRS

Instantaneous, electronic grinder-doser: it freshly grounds the set doses directly into the filter-holder.



Touch Screen



PVD Flat Burrs



PGS



Bluetooth



On Demand Touch



On Demand Touch Bluetooth

Features

- 0 0 0.0	
Output g/s *	4
Hopper capacity (Kg)	1,6
Diameter grinding burrs (mm)	64

100mmout mil 01 muuton	
Width x Depth x Height (mm)	220 x 400 x 620
Width x Depth x Height (mm) with Bluetooth	220 x 442 x 620
Power at 220-240V 50 Hz 220V 60Hz	300















MD 3000

Automatic Automatic Silver

SILVER

- Automatic grinder-doser
- Flat grinding burrs
- Die-cast aluminium painted body
- High production per hour



Features

Output g/s *	3,3
Hopper capacity (Kg)	1,6
Diameter grinding burrs (mm)	64
Diameter grinding burrs (mm) - Silver	75

Width x Depth x Height (mm)	220 x 400 x 620
Power at 220-240V~ 50/60Hz (W)	350
Power at 220-240V~ 50/60Hz (W)	350















MEA

- Automatic grinder-doser
- Flat grinding burrs
- Brushed aluminium body



Features

Output g/s *	2,3
Hopper capacity (Kg)	2
Diameter grinding burrs (mm)	64

Technical information

Width x Depth x Height (mm)	260 x 470 x 640
Power at 220-240V~ 50/60Hz (W)	300

Optional

Adapter Kit Easy Open


















MF

Automatic

- Automatic grinder-doser.
- Flat grinding burrs; Ø 64 mm.
- Fixed coffee tamper.
- Hopper safety micro-switch.
- Die-cast painted body.



Technical information

Output g/s [These data refer to grinding for an Italian espresso coffee]	2
Hopper capacity (Kg)	1,15
Diameter grinding burrs (mm)	64
Width x Depth x Height (mm)	194 x 428 x 510
Power at 220-240V~ 50Hz (W)	360
Power at 220V~ 60Hz (W)	460

Optional

Adapter Kit Easy Open	./
Adapter Kit Easy Open	v

MF

On demand

- Instantaneous, electronic grinder-doser: it freshly grounds the set doses directly into the filterholder.
- Flat grinding burrs; Ø 64 mm.
- Micrometric screw for grinding adjustment: value on di-splay.
- Electronic dose setting. Single and double doses settable independently.
- Exclusive self dose adjustment system according to granulometry variations.
- Height-adjustable fork. You don't need to hold the fil-ter-holder.
- Hopper safety micro-switch.
- Available with or without the coffee tamper.
- Die-cast painted body.



Optional

Kit Adapter Easy Open ✓

Output g/s [These data refer to grinding for an Italian espresso coffee]	1,7
Hopper capacity (kg)	1,2
Diameter grinding burrs (mm)	64
Weight (kg)	10
Width x Depth x Height (mm)	194 x 368 x 510
Power at 220-240V~ 50/60Hz (W)	360















Fully Automatic Espresso Coffee Machines

•	X60 CP100 MilkPs, AutoSteam Cold Touch	34
•	X60 S100	35
•	X30 CS10 - MilkPs, Solubles	36
•	X30 CP10 - MilkPs	37
•	X30 S10 AutoSteam Cold Touch	38
•	X20 CS10 - MilkPs, Solubles	39
•	X20 CP10 - MilkPs	40
•	X20 S10 AutoSteam Cold Touch	41
•	X15 CS10 - MilkPs, Solubles	42
•	X15 CS11 - MilkPs, Solubles	43
•	X15 S10 - Coffee	44
•	X15 2S21 - Double Solubles	45
•	X15 CP10 - MilkPs	46
	X15 CP11 - MilkPs	
•	X15 CS21 - MilkPs. Double Solubles	18

X60 CP100

MilkPs, AutoSteam Cold Touch

Performance

Espresso Output (cups/h)	260
Coffee Output (cups/h)	180
Cappuccino Output (150 cc cups/h)	190
Hot Water Output (Lt/h - 500cc quantities)	50
Liquid Heating - AutoSteam (Lt/h - 500cc quantities)	20
Liquid Heating - Steam Wand (Lt/h - 500cc quantities)	40



Recommended cups per day: up to 600



11" Display TFT with Selection Keys



7" Touch Screen Display



Preheated Metal Carousel Coffee Group



Turbo Function



Smart Boiler



AutoSteam Cold Touch



HQ Milk



Perfect cold milk foam



Steam Wand with Temperature Sensor



Third Grinder-Doser



PGS



AWS - Automatic Washing System



Wi-Fi Connectivity



Bi-Directional Telemetry



USB Port



X60 CP100
Up to 96
Up to 7 recipes can be selected per page
2
1 x 4 + 1 x 1
3
$2 \times 1,2 (01 \times 2,4) + 1 \times 0,5$
42 o 50
1
1

Technical Information

	•	
Width x Depth x Height	t (mm)	530 x 682 x 830
Weight (Kg)		95
Power at	380-415V3N 50Hz (W)	6600 - 7800

Accessories

CSI/CCI Cable CODE: **535959000**















FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

X60 S100

Performance

Espresso Output (cups / h)	260
Coffee Output (cups / h)	180
Hot Water Output (litres/h - 500cc quantities)	50
Liquid Heating - Steam Wand	40
(litres/h - 500cc quantities)	40



Recommended cups per day: up to 600



11" Display TFT with Selection Keys



7" Touch Screen Display



Preheated Metal Carousel Coffee Group



Turbo Function



Smart Boiler



2 Steam Wands with Temperature Sensor



Third Grinder-Doser



PGS



AWS - Automatic Washing System



Wi-Fi Connectivity



Bi-Directional Telemetry



USB Port



Features

Drink Selections	Up to 96
TFT Display + Selections Keys	Up to 8 recipes can be selected per page
Hot Water Selections	2
Boilers and Capacity (L)	1 x 4 + 1 x 1
Grinder-Dosers	3
Coffee Hoppers and Capacity (Kg)	2 x 1,2 (or 1 x 2,4) + 1 x 0,5
Coffee Group Diameter (mm)	42 or 50
Steam Wand with Temperature Sensor	2

Technical Information

Width x Depth x Height (mm)	530 x 682 x 830
Weight (Kg)	95
Power at 380-415V3N 50Hz (W)	6600 - 7800

Accessories

CSI/CCI Cable	CODE: 535959000

Optional

















X30 CS10

MilkPs, Solubles

Performance

Coffee Output (cups / h)	200
Cappuccino Output (150cc cup / h)	190
Hot Water Output (litres / h - 500cc quantities)	28
Liquid Heating - Steam Wand (litres / h - 500cc quantities)	26

Specifically designed for reliability, premium coffee quality and ease of use, the FAEMA X30 delivers a large selection of beverages. Integrated Wi-Fi monitors consumables, output levels, cleaning status and maintenance requirements. Its intuitive 10.4" touchscreen also allows customization of graphics, screen savers, drink icons and branding.





Recommended cups per day: up to 300



Perfect cold milk foam



AutoSteam Cold Touch (optional)



Bi-directional Telemetry



USB Port



to 96 drink selections Powder Dosing System

10.4" touch screen, up



Metal coffee group



ThermoDrive (optional)



AWS - Automatic washing system

PGS



Wi-Fi Connectivity



High Milk quality



Features

reacures	
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 0,7 + 1 x 1,25
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	1 x 1,2 + 1 x 1,0
Powder hopper and capacity (Kg)	1 x 1,0
Coffee group diameter (mm)	44 or 50
Steam wand	1

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (Kg)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700

Optional

AutoSteam Cold Touch	✓
ThermoDrive (2 temperatures)	✓
Motorized shout	✓

Kit for milk circuit washing under counter	✓
Ground Disposal Kit	✓
Kit Milk Foam	✓
Kit Smart Milk Sensor	CODE: NS9MA9999999A — √
Kit Power Station	✓
CSI/CCI Cable	CODE: 535959000















FULLY AUTOMATIC ESPRESSO COFFEE MACHINES

X30 CP10

MilkPS

Performance

Coffee Output (cups / h)	
Cappuccino Output (150cc cups / h)	190
Hot Water Output (litres / h - 500cc quantities)	
Liquid Heating - Steam Wand (litres / h - 500cc quantities)	26

Specifically designed for reliability, premium coffee quality and ease of use, the FAEMA X30 delivers a large selection of beverages. Integrated Wi-Fi monitors consumables, output levels, cleaning status and maintenance requirements. Its intuitive 10.4" touchscreen also allows customization of graphics, screen savers, drink icons and branding.





Recommended cups per day: up to 300



AutoSteam Cold Touch (optional)



PG



USB Port



10.4" touch screen, up to 96 drink selections



Metal coffee group

Smart Boiler



AWS - Automatic washing system



Wi-Fi Connectivity



Perfect cold milk foam

High Milk quality



ThermoDrive (optional)



Bi-directional Telemetry

Features

i casai co	
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 0,7 + 1 x 1,25
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 1,2
Coffee group diameter (mm)	44 or 50
Steam wand	1

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (Kg)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700

Optional

Third Grinder	✓
AutoSteam Cold Touch	✓
ThermoDrive (2 temperatures)	✓
Motorized spout	✓

Kit for milk circuit washing under counter	✓
Ground Disposal Kit	✓
Kit Milk Foam	✓
Kit Smart Milk Sensor	CODE: NS9MA9999999A — √
Kit Power Station	✓
CSI/CCI Cable	CODE: 535959000















X30 S10

AutoSteam Cold Touch

Performance

Coffee Output (cups / h)	200
Hot Water Output (litres / h - 500cc quantities)	28
Liquid Heating - AutoSteam Cold Touch	26
(litres/h - 500cc quantities)	20

Specifically designed for reliability, premium coffee quality and ease of use, the FAEMA X30 delivers a large selection of beverages. Integrated Wi-Fi monitors consumables, output levels, cleaning status and maintenance requirements. Its intuitive 10.4" touchscreen also allows customization of graphics, screen savers, drink icons and branding.



 χ_{30}

FAEMA



Recommended cups per day: up to 300



Smart Boiler



10.4" touch screen, up to 96 drink selections



PGS



ThermoDrive (optional)



Wi-Fi Connectivity



AutoSteam Cold Touch



Bi-directional Telemetry



Metal coffee group



USB Port

Features

Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 0,7 + 1 x 1,25
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 1,2
Coffee group diameter (mm)	44 or 50
Steam wand	AutoSteam Cold Touch

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (Kg)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700

Ontional

o poronius	
Third Grinder	✓
ThermoDrive (2 temperatures)	✓
Motorized spout	✓

Ground Disposal Kit	✓
CSI/CCI Cable	CODE: 535959000















X20 CS10

MilkPs, Solubles

1 GRINDER

Performance

2 GRINDERS

Coffee Output (cups / h)	200
Cappuccino Output (150cc cups / h)	190
Hot Water Output (litres / h - 500cc quantities)	30
Liquid Heating - Steam Wand (litres / h - 500cc quantities)	29

Developed by drawing on knowledge and expertise about traditional machines, FAEMA X20 enhances the FAEMA superautomatic range with a perfect solution for locations that produce around 200 cups a day. Thanks to its built-in soluble hot chocolate system, you can also offer a wide and varied drinks menu, and with the metal coffee-group this coffee machine always guarantee the highest quality.





Recommended cups per day: up to 200



MilkPS



AWS - Automatic washing system.



USB Port



Metal coffee group



to 96 drink selections Powder Dosing System

7.0" touch screen, up



Smart Boiler

High Milk quality



Bi-directional Telemetry

Features

i catal co	
Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 2,6
Grinder-dosers	1 or 2
Coffee hoppers and capacity (Kg)	1 x 1,2 or 1 x 1,2 + 1 x 1,0
Powder hopper and capacity (Kg)	1 x 1,0
Coffee group diameter (mm)	44 or 50
Steam wand	1

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (Kg)	71
Power at 220-240V~ 50Hz (W)	3200 - 3800
Power at 220~ 60Hz (W)	3400

Kit for washing under counter	✓
Ground Disposal Kit	✓
Kit Milk Foam	✓
Kit Smart milk sensor	CODE: NS9MA9999999A — √
Kit Power Station	✓
Kit No-coffee sensor (2 grinders)	✓
CSI/CCI Cable	CODE: 535959000















X20 CP10

MilkPS

1 GRINDER **2 GRINDERS**

Performance

Coffee Output (cups / h)	
Cappuccino Output (150cc cups / h) Hot Water Output (litres / h - 500cc quantities) Liquid Heating - Steam Wand (litres / h - 500cc quantities)	

Developed by drawing on knowledge and expertise about traditional machines, FAEMA X20 enhances the FAEMA superautomatic range with a perfect solution for locations that produce around 200 cups a day. Thanks to its built-in soluble hot chocolate system, you can also offer a wide and varied drinks menu, and with the metal coffee-group this coffee machine always guarantee the highest quality.





Recommended cups per day: up to 200



High Milk quality



7.0" touch screen, up to 96 drink selections



AWS - Automatic washing system



Metal coffee group



Bi-directional Telemetry



Smart Boiler



USB Port



MilkPS



Wi-Fi Connectivity

Features

Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 2,6
Grinder-dosers	1 or 2
Coffee hoppers and capacity (Kg)	1 x 1,2 or 2 x 1,2
Coffee group diameter (mm)	44 or 50
Steam wand	1

Technical information

recimion musici	
Width x Depth x Height (mm)	370 x 620 x 762
Weight (Kg)	71
Power at 220-240V~ 50Hz (W)	3200 - 3800
Power at 220~ 60Hz (W)	3400

Kit for washing under counter	✓
Ground Disposal Kit	✓
Kit Milk Foam	✓
Kit Smart milk sensor	CODE: NS9MA9999999A — √
Kit Power Station	✓
Kit No-coffee sensor (2 grinders)	✓
CSI/CCI Cable	CODE: 535959000















X20 S10

AutoSteam Cold Touch

1 GRINDER

Performance

2 GRINDERS

Coffee Output (cups / h)	
Hot Water Output (litres / h - 500cc quantities)	30
Liquid Heating - AutoSteam (litres / h - 500cc quantities)	29

Developed by drawing on knowledge and expertise about traditional machines, FAEMA X20 enhances the FAEMA superautomatic range with a perfect solution for locations that produce around 200 cups a day. Thanks to its built-in soluble hot chocolate system, you can also offer a wide and varied drinks menu, and with the metal coffee-group this coffee machine always guarantee the highest quality.





Recommended cups per day: up to 200



AutoSteam Cold Touch



7.0" touch screen, up to 96 drink selections



Wi-Fi Connectivity



Metal coffee group



Bi-directional Telemetry



Smart Boiler



USB Port

Features

Touch Screen drink selections	96
Hot water selections	2
Boilers and capacity (litres)	1 x 2,6
Grinder-dosers	1 or 2
Coffee hoppers and capacity (Kg)	1 x 1,2 or 2 x 1,2
Coffee group diameter (mm)	44 or 50
Steam wand	AutoSteam Cold Touch

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (Kg)	71
Power at 220-240V~ 50Hz (W)	3200 - 3800
Power at 220~ 60Hz (W)	3400

Ground Disposal Kit	✓
Kit No coffee sensor - 2 grinders	✓
CSI/CCI Cable	CODE: 535959000















X15 CS10

MilkPs, Solubles

Performance	
Coffee Output (cups/h)	160
Cafè Creme (cups/h)	100
Cappuccino output (150 cc cups/h)	160
Hot Water Output (L/h - 500cc quantities)	25
Liquid Heating - Steam Wand (Lt/h - 500cc quantities)	25

The new X15, smart and versatile fully automatic machine, is designed to guarantee a wide menu of beverages even more customizable, as well as a superior capacity of its boiler. User-friendly and professional, X15 is the perfect ally for office environments or other locations that require mediumlow daily performance.

Bi-directional telemetry on board.





Recommended cups per day: up to 150



Metal reinforced technopolymer coffee group



Embedded solubles system



Smart Boiler



7.0" touch screen, up to 96 drink selections



HQ Milk



Manual steam wand



MilkPs



AWS - Automatic washing system



Bi-directional telemetry



USB



Wi - Fi

Features	X15 CS10
Touch Screen drink selections	up to 96 (8 per page)
Hot water selections	2
Boilers and capacity (L)	1 x 2
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 0,65
Soluble hoppers and capacity (Kg)	1 x 1,5
Coffee group diameter (mm)	38 or 46
Mixer soluble powder	1
Steam wand	1
No-coffee sensor	-
Main spout	Manual

Technical information

Width x Depth x Heigh	t (mm)	350 x 605 x 715
Weight (Kg)	<u> </u>	49
Power at	220-240V~ 50Hz (W)	2700 - 3100 13A
Power at	220~ 60Hz (W)	2700 13A

7.000000	
Coffee Hopper extension (up to 1,6 Kg) 1px	✓
Soluble Hopper extension (up to 2,9 Kg) 1px	✓
Kit Milk Foam	✓
Kit for washing undercounter	✓
CSI/CCI cable	Cod. 535959000











X15 CS11

MilkPs, Solubles

Performance

Coffee Output (cups/h)	160
Cafè Creme (cups/h)	100
Cappuccino Output (150 cc cups/h)	160
Hot Water Output (L/h - 500cc quantities)	25

The new X15, smart and versatile fully automatic machine, is designed to guarantee a wide menu of beverages even more customizable, as well as a superior capacity of its boiler. User-friendly and professional, X15 is the perfect ally for office environments or other locations that require mediumlow daily performance. Bi-directional telemetry on board.





Recommended cups per day: up to 150



Metal reinforced technopolymer coffee group



Embedded solubles system



Smart Boiler



7.0" touch screen, up to 96 drink selections



HQ Milk



MilkPs



New motorised spout



AWS - Automatic washing system



Bi-directional Telemetry



USB



Wi - Fi connectivity

Features	X15 CS11
Touch Screen drink selections	up to 96 (8 per page)
Hot water selections	2
Boilers and capacity (L)	1 x 2
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 0,65
Soluble hoppers and capacity (Kg)	1 x 1,5
Coffee group diameter (mm)	38 or 46
Mixer solubile powder	1
Steam wand	-
No-coffee sensor	-
Main spout	Motorised

Technical information

Width x Depth x Height (mm)		350 x 605 x 715
Weight (Kg)		49
Power at	220-240V~ 50Hz (W)	2700 - 3100 13A
Power at	220~ 60Hz (W)	2700 13A

Coffee Hopper extension (up to 1,6 Kg) 1px	✓
Solubles Hopper extension (up to 2,9 Kg) 1px	✓
Kit Milk Foam	✓
Kit for washing undercounter	✓
CSI/CCI cable	Cod. 535959000











FULLY AUTOMATIC MACHINES

X15 CP10

MilkPs

Performance

Coffee Output (cups/h)	160
Cafè Creme (cups/h)	100
Cappuccino output (150 cc cups/h)	160
Hot Water Output (L/h - 500cc quantities)	25
Liquid Heating - Steam Wand (Lt/h - 500cc quantities)	25

The new X15, smart and versatile fully automatic machine, is designed to guarantee a wide menu of beverages even more customizable, as well as a superior capacity of its boiler. User-friendly and professional, **X15** is the perfect ally for office environments or other locations that require mediumlow daily performance.

Bi-directional telemetry on board.





Recommended cups per day: up to 150



Metal reinforced technopolymer coffee group



MilkPS



Smart Boiler



7.0" touch screen, up to 96 drink selections



HQ Milk



Manual steam wand




AWS - Automatic washing system



Bi-directional Telemetry



USB



Features	X15 CP10
Touch Screen drink selections	up to 96 (8 per page)
Hot water selections	2
Boilers and capacity (L)	1 x 2
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 0,65
Soluble hoppers and capacity (Kg)	-
Coffee group diameter (mm)	38 or 46
Mixer soluble powder	-
Steam wand	1
No-coffee sensor	-
Main spout	Manual

Width x Depth x Height	t (mm)	350 x 605 x 715
Weight (Kg)		49
Power at	220-240V~ 50Hz (W)	2700 - 3100 13A
Power at	220~ 60Hz (W)	2700 l13A

Accessories	
Coffee Hopper extension (up to 1,6 Kg) 1px	\checkmark
Kit Milk Foam	✓
Kit for washing undercounter	✓
CSI/CCI cable	Cod. 535959000











FULLY AUTOMATIC MACHINES

X15 CP11

MilkPs

Performance

Coffee Output (cups/h)	160
Cafè Creme (cups/h)	100
Cappuccino Output (150 cc cups/h)	160
Hot Water Output (L/h - 500cc quantities)	25

The new X15, smart and versatile fully automatic machine, is designed to guarantee a wide menu of beverages even more customizable, as well as a superior capacity of its boiler. User-friendly and professional, X15 is the perfect ally for office environments or other locations that require mediumlow daily performance.

Bi-directional telemetry on board.





Recommended cups per day: up to 150



Metal reinforced technopolymer coffee group



MilkPS



Smart Boiler



7.0" touch screen, up to 96 drink selections



HQ Milk



AWS - Automatic washing system



New motorised spout



Bi-directional Telemetry



USB



Wi - Fi connectivity

Features	X15 CP11
Touch Screen drink selections	up to 96 (8 per page)
Hot water selections	2
Boilers and capacity (litres)	1 x 2
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 0,65
Soluble hoppers and capacity (Kg)	-
Coffee group diameter (mm)	38 or 46
Mixer soluble powder	-
Steam wand	-
No-coffee sensor	yes
Main spout	Motorised

Technical information

Width x Depth x Heigh	t (mm)	350 x 605 x 715
Weight (Kg)		49
Power at	220-240V~ 50Hz (W)	2700 - 3100 13A
Power at	220~ 60Hz (W)	2700 13A

Accessories	
Coffee Hopper extension (up to 1,6 Kg) 1px	✓
Kit Milk Foam	✓
Kit for washing undercounter	\checkmark
CSI/CCI cable	Cod. 535959000











FULLY AUTOMATIC MACHINES

X15 S10

Coffee

Performance

Coffee Output (cups/h)	160
Cafè Creme (cups/h)	100
Hot Water Output (L/h - 500cc quantities)	25
Liquid Heating - Steam Wand (Lt/h - 500cc quantities)	25

The new X15, smart and versatile fully automatic machine, is designed to guarantee a wide menu of beverages even more customizable, as well as a superior capacity of its boiler. User-friendly and professional, X15 is the perfect ally for office environments or other locations that require mediumlow daily performance.

Bi-directional telemetry on board.



Recommended cups per day: up to 150



Metal reinforced techno-polymer coffee group



Smart Boiler



7.0" touch screen, up to 96 drink selections



Manual steam wand



AWS - Automatic washing system





Bi-directional Telemetry



USB



Wi - Fi connectivity

Features	X15 S10
Touch Screen drink selections	up to 96 (8 per page)
Hot water selections	2
Boilers and capacity (L)	1 x 2
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 0,65
Soluble hoppers and capacity (Kg)	-
Coffee group diameter (mm)	38 or 46
Mixer soluble powder	-
Steam wand	1
No-coffee sensor	-
Main spout	Manual

Technical information

Width x Depth x Height	c (mm)	350 x 605 x 715
Weight (Kg)		49
Power at	220-240V~ 50Hz (W)	2700 - 3100 13A
Power at	220~ 60Hz (W)	2700 13A

Coffee Hopper extension (up to 1,6 Kg) 1px	✓
CSI/CCI cable	Cod. 535959000











X15 2S21

Double solubles

Performance

Coffee Output (cups/h)	160
Cafè Creme (cups/h)	100
Hot Water Output (L/h - 500cc quantities)	25

The new X15, smart and versatile fully automatic machine, is designed to guarantee a wide menu of beverages even more customizable, as well as a superior capacity of its boiler. User-friendly and professional, **X15** is the perfect ally for office environments or other locations that require mediumlow daily performance.

Bi-directional telemetry on board.





Recommended cups per day: up to 150



Metal reinforced technopolymer coffee group



Embedded solubles system



Double soluble hopper



7.0" touch screen, up to 96 drink selections



New motorised spout



Smart Boiler



AWS - Automatic washing system



Bi-directional telemetry



USB



Wi - Fi connectivity

Features	X15 2S21
Touch Screen drink selections	up to 96 (8 per page)
Hot water selections	2
Boilers and capacity (L)	1 x 2
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 0,65
Soluble hoppers and capacity (Kg)	1 x 0,59 Kg chocolate powder
Soluble hoppers and capacity (kg)	+ 1 x 0,37 Kg milk powder
Coffee group diameter (mm)	38 or 46
Mixer soluble powder	1
Steam wand	-
No-coffee sensor	yes
Main spout	Motorised

Technical information

Width x Depth x Height	t (mm)	350 x 605 x 715
Weight (Kg)		49
Power at	220-240V~ 50Hz (W)	2700 - 3100 13A
Power at	220~ 60Hz (W)	2700 13A

Coffee Hopper extension (up to 1,6 Kg) 1px	✓
Double Solubles Hopper extension (up to 1,3 Kg chocolate + 0,85 Kg milk powder) 1px	✓
CSI/CCI cable	Cod. 535959000











X15 CS21

MilkPs, Double solubles

Performance

Coffee Output (cups/h)	160
Cafè Creme (cups/h)	100
Cappuccino Output (150 cc cups/h)	160
Hot Water Output (L/h - 500cc quantities)	25

The new X15, smart and versatile fully automatic machine, is designed to guarantee a wide menu of beverages even more customizable, as well as a superior capacity of its boiler. User-friendly and professional, X15 is the perfect ally for office environments or other locations that require mediumlow daily performance.

Bi-directional telemetry on board.



Recommended cups per day: up to 150



Metal reinforced technopolymer coffee group



Embedded solubles system



Double solubles hopper



7.0" touch screen, up to 96 drink selections



HQ Milk



MilkPs



Smart Boiler





AWS - Automatic washing system



Bi-directional Telemetry



USB



Wi - Fi connectivity

Features	X15 CS21
Touch Screen drink selections	up to 96 (8 per page)
Hot water selections	2
Boilers and capacity (L)	1 x 2
Grinder-dosers	2
Coffee hoppers and capacity (Kg)	2 x 0,65
Soluble hoppers and capacity (Kg)	1 x 0,59 Kg chocolate powder + 1 x 0,37 Kg milk powder
Coffee group diameter (mm)	38 or 46
Mixer solubile powder	1
Steam wand	-
No-coffee sensor	yes
Main spout	Manual

Technical information

Width x Depth x Height	t (mm)	350 x 605 x 715
Weight (Kg)		49
Power at	220-240V~ 50Hz (W)	2700 - 3100 13A
Power at	220~ 60Hz (W)	2700 13A

Coffee Hopper extension (up to 1,6 Kg) 1px	✓
Double Solubles Hopper extension (up to 1,3 Kg chocolate + 0,85 Kg milk powder) 1px	✓
Kit Milk Foam	✓
Kit for washing undercounter	✓
CSI/CCI cable	Cod. 535959000













Accessories

• Accessories - X Series 50

REFRIGERATED UNIT BR9C

- Milk cooler with glass door.
- Lockable front door.
- Digital thermostat: ON/OFF function; Settable milk temperature.
- Preserves up to 4,2 L of milk.



Technical information

Product Unit Dimensions Width x Depth x Height (mm)	220 x 512 x 446
Inner Dimensions Width x Depth x Height (mm)	160 x 190 x 280
Power at 220-240V 50Hz (W)	-













REFRIGERATED UNIT WITH CUPWARMER

- Refrigerated unit with a real compressor.
- Preserves up to 4 litres of milk.
- Electric cup warming unit.
- Removable wire baskets, where to store the cups (upon request).
- Dimmer to control the temperature.
- Digital thermostat: ON/OFF function; milk temperature reading and setting $(+/-0,1^{\circ})$.
- 2 cup warming shelves.



Width x Depth x Height (mm)	290 x 435 x 738
Power at 220-240V 50Hz (W)	360
Power at 220V 60Hz (W)	360











ACCESSORIES - X SERIES

CUPWARMER

- Electric cup warming unit.
- Removable wire baskets, where to store the cups (upon request).
- Dimmer to control the temperature.



Technical information

Width x Depth x Height (mm)	290 x 435 x 738
Power at 220-240V 50/60Hz (W)	230













REFRIGERATED UNIT

- Refrigerated unit with a real compressor.
- Preserves up to 8 litres of milk.
- Digital thermostat: ON/OFF function; milk temperature reading and setting $(+/-0,1^{\circ})$.



Width x Depth x Height (mm)	290 x 435 x 738
Power at 220-240V 50Hz (W)	360
Power at 220V 60Hz (W)	360











ACCESSORIES - X SERIES

REFRIGERATED UNIT "DUAL MILK"

- Refrigerated unit with a real compressor.
- Preserves up to 8 litres of milk.
- Digital thermostat: ON/OFF function; milk temperature reading and setting $(+/-0,1^{\circ})$.



Technical information

Width x Depth x Height (mm)	290 x 435 x 738
Power at 220-240V 50Hz (W)	360
Power at 220V 60Hz (W)	360













FRIGOMILK

• Refrigerated unit to preserve up to 3 litres of fresh milk.



Width x Depth x Height (mm)	220 x 350 x 320
Weight (kg)	5,5
Power at 220-240V 50/60Hz (W)	70













PROCESS CERTIFICATION



ISO9001: Zertifizierung des Qualitätsmanagementsystems. OHSAS18001: Zertifizierung des Arbeitsschutzmanagementsystems. ISO 14001: Umweltmanagement –Zertifizierung.

PRODUCT AND SAFETY CERTIFICATIONS



Safety certification and testing of consumer and industrial products and components.



The UL-EU Mark certifies that the tested products comply with the European (EN) standards. The Mark applies to both electrical and electronic products and components intended for use in Europe.



The D-Mark is a safety mark registered and provided by UL-Demko.



With the CE mark, which is obligatory in the European Union member countries, the manufacturer states that the individual product is compliance with the general safety regulations in the CE-marking directives.



The Eurasian Conformity mark indicate products that conform to all technical regulations of the Eurasian Customs Union. EAC-marked products meet all requirements of the corresponding technical regulations and have passed all conformity assessment procedures.

HYGIENE, HEALTH AND ENVIRONMENT



It certifies the hygienic quality of machines intended for production of food and beverages.



All the machine components in contact with water and steam undergo the Ruveco Teck coating process which drastically reduces the risk of release of metals in the delivered beverages.



It certifies that the electrical and electronic equipment do not contain levels of lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls (PBB) and polybrominated diphenyl ethers (PBDEs) above the legally permitted limit.

IN-THE-CUP QUALITY



Istituto Nazionale Espresso Italiano.

SALES CONDITIONS

- Goods packed in standard cardboard boxes and delivered FCA, Via Archimede, 3 - Binasco (MI).
- Retail pricces.
- Prices in Euro.
- Valid from January 2021.

GENERAL NOTES

- The installation of the softener is compulsory when the machines are fed by water harder than 8 degrees F.
- Could the main pressure exceed 6 bars (85,34 psi), the installation of a pressure reducer is required.
- The present price list cancels and replaces all previous editions.
- Optional: extra components directly assembled in factory.
- Accessories: finished goods or extra kits installed by the distributor.





Via A. Manzoni n° 17, - 20082 Binasco - Italia Tel. +39 02 90 04 91

